

# APPLICATION FOR LETTERS PATENT OF THE UNITED STATES

CERTIFICATE OF MAILING "EXPRESS MAIL"	
"Express Mail"	Mailing Label Number <u>EM124253395US</u>
Date of Deposit	<u>November 29, 2000</u>
I hereby certify that this paper or fee is being deposited with the United States Postal Service "EXPRESS MAIL POST OFFICE TO ADDRESSEE" Service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.	
Karen A. Church (type or print name of person certifying)	
<u>Karen A. Church</u> Signature	

## SPECIFICATION

To all whom it may concern:

Be It Known, That we, JOHN C. GOODWIN, III and JOHN BRIAN FRANCIS, of Suwanee, GA and Alpharetta, GA, respectively, have invented certain new and useful improvements in METHOD OF PRINTING INFORMATION BY A NETWORK KIOSK, of which we declare the following to be a full, clear and exact description:

**METHOD OF PRINTING  
INFORMATION BY A NETWORK KIOSK**

**Background of the Invention**

The present invention relates to self-service kiosks and more specifically to a method of printing information by a network kiosk.

Retailers have a desire to sell their products over networks, such as global networks which are a part of the World Wide Web (WWW or "web") and which use the Transmission Control Protocol/Internet Protocol (TCP/IP protocol). These retailers wish to provide Internet server web sites which offer the same features as Internet server web sites available to home shoppers who use their computers to connect to the Internet server web sites.

Kiosks provide a publicly-accessible computing platform for displaying web pages from retailer web sites. Kiosks may be located within a retailer's transaction establishment or elsewhere, such as in shopping malls. Kiosks may be easily networked to retailer web sites using the TCP/IP protocol. Web pages from web sites may be displayed using known and available web software, such as Microsoft® Internet Explorer software.

Printing of information displayed by a web browser software application is difficult on a kiosk. Kiosks typically include receipt printers or printers which take paper smaller than standard 8½" x 11" paper. Web pages containing transaction information are not formatted to print on smaller-size paper.

Therefore, it would be desirable to provide a method of printing web page transaction information onto receipt paper.

### **Summary of the Invention**

In accordance with the teachings of the present invention, a method of printing information by a network kiosk is provided.

The method includes the steps of receiving a command to print information in a displayed web page, obtaining an address of the displayed web page, determining a format for printing the information on receipt paper using the address, creating a script to print the information in the format, and executing the script to print the information on the receipt paper.

It is accordingly an object of the present invention to provide a method of printing information by a network kiosk.

It is another object of the present invention to determine how much content of each web page is to be printed and how the determined content is to be printed on receipt paper.

It is another object of the present invention to print other information, such as text and graphics, with web information on receipt paper.

### **Brief Description of the Drawings**

Additional benefits and advantages of the present invention will become apparent to those skilled in the art to which this invention relates from the subsequent description of the preferred embodiments and the appended

claims, taken in conjunction with the accompanying drawings, in which:

Fig. 1 is a block diagram of a transaction processing system including a network kiosk;

Fig. 2 is a perspective view of a kiosk;

Fig. 3 is a depiction of a printing configuration file; and

Fig. 4 is a flow diagram illustrating the printing method of the present invention.

#### **Detailed Description of the Preferred Embodiment**

Turning now to Figs. 1 and 2, transaction system 10 includes kiosk 12 and network 14. Kiosk 12 is preferably located within a transaction establishment, such as a retail store, or transaction environment, such as a shopping mall. Kiosk 12 may include an NCR 7401 computer.

Kiosk 12 primarily includes processor 16, touch screen 18, memory 20, and storage medium 22. Kiosk 12 may additionally include a number of peripherals, including magnetic strip reader (MSR) 24, printer 26, and scanner 28.

To assist with execution of certain tasks performed by kiosk 12, kiosk 12 includes a built-in time keeping device, commonly referred to as a system clock, which is synchronized with current time, in order to automatically execute the tasks at their scheduled times.

Processor 16 controls operation of kiosk 12 and executes web browser software 32 and web wrapper software 36.

Web browser software 32 allows an operator to access information and purchase products from retailers through network 14, which preferably includes World Wide Web (WWW

or "web") servers. Web browser software 32 may include commercially-available web browser software, such as Microsoft® Internet Explorer web browser software. Microsoft® Internet Explorer web browser software is configured into a kiosk operation using a "-k" command line option. This option hides toolbars and menubars to prevent operator access to those functions.

Web browser software 32 retrieves and displays web pages 44 from network 14, which includes a plurality of interconnected servers. Web pages 44 include web pages which display information about products and services offered by the kiosk owner as well as other web pages. Web pages 44 assist operators to find information about products sold by the kiosk owner and to complete purchases of such products. For this purpose, web pages 34 may include a start or "home" page which operates as a default page from which operation begins and to which operation returns when an operator is finished using kiosk 12. Web pages 44 may be written using hypertext markup language (HTML) or other suitable web page language.

Web wrapper software 36 provides security functions. During operation, web wrapper software 36 prevents an operator from accessing kiosk files, other applications, the operating system software, or basic input-output system (BIOS) firmware, and prevents the operator from causing kiosk 12 to reboot.

Under the present invention, web wrapper software 36 additionally controls printing of web page information by printer 26. Specifically, web wrapper software 36 determines how much content of each web page 44 is to be

printed and how the determined content is to be printed on receipt paper 48.

Pages containing printable content and configuration settings to assist in printing may be coded into web wrapper software 36 or listed in printing configuration file 38 to allow a kiosk owner to control operation. Content and format for the content may be coded into web wrapper software 36 or listed in one or more printing format files 34 to allow a kiosk owner to control operation.

The characteristics of receipt paper 48 could be hard-coded into web wrapper software 36, instead of using configuration files 34 and 38. However, use of such files 34 and 38 allows content and formatting of receipts 48 to be easily changed. Also, the number of files 34 and 38 may be one or a number of files.

Touch screen 18 includes display 40 and input device 42. Display 40 and input device 42 may also be separate units. Input device 42 may record personal information from an operator.

Memory 20 is used by processor 16 to store executed program information, including web wrapper software information.

Storage medium 22 stores software including web wrapper software 36. Storage medium 22 also stores display content 34 and display configuration file 38.

MSR 24 reads loyalty, credit, debit, SMART, and/or other types of cards carried by an operator. MSR 24 may record personal information from an operator.

Printer 26 prints information from web wrapper software 32, including information from web pages 44 from

network 14. For example, printer 26 may print information relevant to a transaction completed by an operator using kiosk 12. Printer 26 uses paper 48 narrower than standard 8½" x 11" paper. Also, paper 48 includes paper rolls instead of paper sheets.

Scanner 28 reads bar codes on products to obtain product identification numbers. Kiosk 12 queries a transaction server with the identification numbers to obtain information about the product and displays the information.

With reference to Fig. 2, an example of kiosk 12 is shown. Kiosk 12 is constructed as a pedestal, with bottom support pieces 52 and 54, printer assembly 56, and top support piece 58. Other mounting arrangements are also envisioned.

Printer assembly 56 includes aperture 50 through which paper 48 passes. Paper 48 for this example of kiosk 12 and printer 26 is about 3.25 inches to 4.5 inches wide. Paper 48 is also preferably a paper roll, and may be used to print content from web pages 44, receipts, shopping lists, and other information that kiosk 12 provides.

Turning now to Fig. 3, printing format files 34 and printing configuration file 38 are illustrated.

Printing configuration file 38 includes record 46 for each web page 44. Each record includes entries PAGE and CONFIGURATION.

Entry PAGE identifies a particular web page 44.

Entry CONFIGURATION identifies configuration information to assist in printing of web page content by web wrapper software 36.

Printing format files 34 include a header configuration file 34A, a footer configuration file 34C, and a body configuration file 34C.

Header configuration file 34A includes entries for store NAME, store ADDRESS, and store LOGO.

Entry NAME identifies a store name.

Entry ADDRESS identifies a store address.

Entry LOGO identifies a store logo or graphic.

All receipts will use this header information, thus, it can be printed as standard.

Body configuration file 34B includes entries for DESCRIPTION, PRICE, TOTAL, and METHOD.

Entry DESCRIPTION identifies an item in a transaction.

Entry PRICE identifies a price of an item.

Entry TOTAL identifies a total price.

Entry METHOD identifies a payment method, typically a credit card type or check.

Footer configuration file 34C includes entries for DATE, TIME, and KIOSK.

Entry DATE identifies a date of a transaction.

Entry TIME identifies a time of a transaction.

Entry KIOSK identifies a particular kiosk.



A formatted script may contain text and graphic web content. A formatted script in the form of a sample receipt is illustrated below with key identifiers or placeholders:

ON-LINE MART  
2651 Satellite Blvd.  
Duluth, GA 30096

%Desc      %Price      <Repeat>  
  
Total                      %TotalAmt  
%MethodPayment

Thank You  
For Shopping With Us  
Date: %D   Time: %T   TID: %K

where %D is a placeholder for entry DATE, %T is a placeholder for entry TIME, %K is a placeholder for entry KIOSK, %Desc is a placeholder for entry DESCRIPTION, %Price is a placeholder for entry PRICE, <Repeat> repeats the placeholders %Desc and %Price for each purchased item, %TotalAmt is a placeholder for entry TOTAL, and %MethodPayment is a placeholder for entry METHOD.

This method allows for text and placeholders to be mixed together in the same format. At actual print time, the placeholders will be replaced with the corresponding

information. A corresponding printed message in the form of a printed receipt would contain text:

ON-LINE MART  
2651 Satellite Blvd.  
Duluth, GA 30096

Jacket	14.00
Shoes	22.00

Total	36.00
-------	-------

Visa 4784 xxxx xxxx xxxx

Thank You  
For Shopping With Us  
Date: 10/09/00 Time:11:37am TID:2

In response to a print command, including print commands initiated by an operator, web wrapper software 36 compares an address of a displayed web page to entries PAGE in printing configuration file 38. If the address of the displayed page is located within printing configuration file 38, web wrapper software 36 enables printer 26. Web wrapper software 36 reads entries CONFIGURATION to obtain configuration information. In the example above, Web wrapper software 36 determines configuration information associated with a transaction processing web page. Such configuration information indicates that the transaction information should be printed using content and formatting identified in printing format files 34. Web wrapper software 36 creates a script by obtaining content

identified in printing format files 34 and formatting it in accordance with format information in printing format files 34. Web wrapper software 36 then executes the script to print the formatted transaction information on receipt paper 48 using printer 26.

Turning now to Fig. 4, the method of the present invention is illustrated in detail beginning with START 60.

In step 62, web wrapper software 36 receives a command to print content in a displayed web page 44 from input device 42.

In step 64, web wrapper software 36 obtains an address for web page 44.

In step 66, web wrapper software 36 reads records 46 in printing configuration file 38.

In step 68, web wrapper software 36 compares PAGE entries in records 46 with the address of the displayed page. If one of the PAGE entries in records 46 is the same as the address of the displayed page, operation proceeds to step 72. Otherwise, operation ends at step 80.

In step 70, web wrapper software 36 reads configuration information from printing configuration file 38.

In step 72, web wrapper software 36 reads corresponding printing format files 34.

In step 74, web wrapper software 36 creates a formatted script using placeholder and format information in printing format files 34.

In step 76, web wrapper software 36 identifies placeholders in the script and obtains corresponding web content from web page 44.

In step 78, web wrapper software 36 initiates printing. Printer 26 prints the script with the web content.

In step 80, operation ends.

Although the present invention has been described with particular reference to certain preferred embodiments thereof, variations and modifications of the present invention can be effected within the spirit and scope of the following claims.

100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000